

FEATURES

- Rugged compressor with cast iron cylinders
- "V" design minimizes vibration, improves cooling and extends compressor life
- Individual removable cylinders for smoother, cooler operation & easy maintenance.
- Engine idle control feature that reduces cost & excessive wear.
- 9 HP Honda GX270 manual/electric start engine
- Metal air filters with "Auto Drop" feature
- Convenient oil drain on front of unit
- 30 gallon ASME registered tank, 200 PSI rating
- Easy view oil sight gauge
- High efficiency reed valves for maximum performance
- Efficient heat removal from fly wheel for cooler running & longer life
- Sturdy metal belt guard
- Outlet valve included

9G30TRKE

18." CFM
@ 100 PSI



TWO STAGE 200 PSI



MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	HONDA MOTOR	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
9G30TRKE	9.0	#8	\$'0	% Gal	9270	41-19-37	800

Toll Free 1-800-551-2406

www.eaglecompressor.com

FEATURES

- Rugged compressor with cast iron cylinders
- "V" design minimizes vibration, improves cooling and extends compressor life
- Individual removable cylinders for smoother, cooler operation & easy maintenance.
- Engine idle control feature that reduces cost & excessive wear.
- 9 HP Honda GX270 manual/electric start engine
- Metal air filters with "Auto Drop" feature
- Convenient oil drain on front of unit
- 30 gallon ASME registered tank, 200 PSI rating
- Easy view oil sight gauge
- High efficiency reed valves for maximum performance
- Efficient heat removal from fly wheel for cooler running & longer life
- Sturdy metal belt guard
- Outlet valve included

9G30TRKE-H



18.5 CFM @ 100 PSI



Manufactured by:
Wood Industries
 INCORPORATED

MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	HONDA MOTOR	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
9G30TRKE-H	9.0	18.5	150	30 Gal	GX270	41-19-37	400

Toll Free 1-800-551-2406

www.eaglecompressor.com

FEATURES

- Rugged compressor with cast iron cylinders
- "V" design minimizes vibration, improves cooling and extends compressor life
- Individual removable cylinders for smoother, cooler operation & easy maintenance.
- Engine idle control feature that reduces cost & excessive wear.
- 11 HP Honda GX340 manual/electric start engine
- Metal air filters with "Auto Drop" feature
- Convenient oil drain on front of unit
- 30 gallon ASME registered tank, 200 PSI rating
- Easy view oil sight gauge
- High efficiency reed valves for maximum performance
- Efficient heat removal from fly wheel for cooler running & longer life
- Sturdy metal belt guard
- Outlet valve included

11G30TRKE-H



35 CFM
@ 100 PSI

EAGLE



Manufactured by:



MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	HONDA MOTOR	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
11G30TRKE-H	11	35	150	30 Gal	GX340	41-19-37	475

Toll Free 1-800-551-2406

www.eaglecompressor.com

FEATURES

- Rugged compressor with cast iron cylinders
- "V" design minimizes vibration, improves cooling and extends compressor life
- Individual removable cylinders for smoother, cooler operation & easy maintenance.
- Engine idle control feature that reduces cost & excessive wear.
- 13 HP Honda GX390 manual/electric start engine
- Metal air filters with "Auto Drop" feature
- Convenient oil drain on front of unit
- 30 gallon ASME registered tank, 200 PSI rating
- Easy view oil sight gauge
- High efficiency reed valves for maximum performance
- Efficient heat removal from fly wheel for cooler running & longer life
- Sturdy metal belt guard
- Outlet valve included

13G30TRKE



EAGLE

32
CFM
@ 100 PSI



TWO
STAGE
200 PSI

Manufactured by:



MODEL	HP	CFM@ 100 PSI	MAXIMUM RATED PSI	RECEIVER CAPACITY	HONDA MOTOR	DIMENSIONS L-W-H (ins)	WEIGHT (lbs)
13G30TRKE	13	32	200	30 Gal	GX390	41-19-37	475

Toll Free 1-800-551-2406

www.eaglecompressor.com